

GUNITE MACHINE

C-IOHH

BENEFITS

- Variable Production
- Heavy-Duty
- Portable

ROTARY GUNITE MACHINE

The C-10HHD gunite machine is the preferred method for high production concrete construction applications. It provides maximum performance due to its heavy-duty design and powerful output.



CE



The Airplaco C-10HHD gunite machine provides maximum performance and efficiency due to its heavy-duty design and powerful output. The C-10HHD dry-mix shotcrete machine is exclusive to the gunite and shotcrete industry, offering a hydraulic motor to rotate the machine's feed system. C-10HHD gunite machines are typically used with batch plants, which provide a power-take-off (PTO) to motor on the shotcrete machine. The hydraulic motor reduces the overall amount

of air needed to power the machine. The C-10HHD dry-mix gunite machine features a premium-life feed system, molded discharge liner nad exhaust suppression chamber. A tilt-hopper provides easy access for cleaning and setup.

C-IOHHD SPECIFICATIONS

Max Output	15 yd³/hr (11.5m³)
Motor	Hydraulic
Air Compressor Req.	365—900 cfm
Feed System	Included
Hinged Hopper	Yes
External Lubrication	Yes
Drive System	Direct
Outlet Size	1 1/2 to 2 in.
Max Aggregate	3/4 in. minus (19mm)
Max Vertical	300 ft (91m)
Max Horizontal	1000 ft (300m)
Dimensions	28 x 37 x 41 in. (WxLxH)
Weight	740 lb (335 kg)

CE

Disclaimer: Maximum output distance and pressure cannot be reached simultaneously. Performance will vary depending on the operator, cycle rate, mix design, and placement line.

GUNITE MACHINE C-IOHHD

APPLICATIONS:

Concrete/Bridge Repair Mining Pool Construction Refractory Tunneling Soil Stabilization

CONTINUOUS FEED HOPPER







